

Commander, Eighth Coast Guard District (oan)  
Hale Boggs Federal Building, Room 1230  
500 Poydras Street, New Orleans, LA 70130-3310  
Telephone: (504) 589-6277  
(Business Hours 7:45 a.m. – 4:15 p.m. Monday - Friday)  
(Nights, Weekends, Holidays) - (504) 589-6225

U.S. Department of  
Homeland Security

United States  
Coast Guard



# 8TH DISTRICT LOCAL NOTICE TO MARINERS GULF OF MEXICO WEEKLY SUPPLEMENT

Econfina River, FL to the Rio Grande, TX  
LIGHT LIST VOLUME IV

NOTICE NUMBER 42/04

October 19, 2004

The Local Notice to Mariners consists of a Monthly Edition and Weekly Supplements. The Monthly Editions are published the first week of each month, and Weekly Supplemental Editions are published in the intervening weeks. Weekly Supplemental Editions contain only new information; however, ongoing events/conditions published in Weekly Supplements at times are re-advertised in the following Monthly Edition. Chart and light list corrections printed in the Weekly Supplemental Editions are not repeated in Monthly Editions.

The Current Monthly Edition is Notice Number 40/04.

References: COMDTPUB P16502.4, Vol. IV, 2004 Edition and Coast Pilot V.

NIS WATCHSTANDER PHONE	(703) 313-5900 24-HOURS A DAY
INTERNET ADDRESSES	<a href="http://www.navcen.uscg.gov">http://www.navcen.uscg.gov</a>
2004 SPECIAL NOTICE TO MARINERS	<a href="http://www.navcen.uscg.gov/lnm/d8gm">http://www.navcen.uscg.gov/lnm/d8gm</a>
2004 LIGHT LIST VOLUME IV	<a href="http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm">www.navcen.uscg.gov/pubs/LightLists/LightLists.htm</a>
GULF OF MEXICO LNM VIA INTERNET	<a href="http://www.navcen.uscg.gov/lnm/d8gm/default.htm">http://www.navcen.uscg.gov/lnm/d8gm/default.htm</a>
MARINE INFORMATION SECTION E-MAIL ADDRESS	<a href="mailto:D8marineinfo@d8.uscg.mil">D8marineinfo@d8.uscg.mil</a>

## BROADCAST NOTICE TO MARINERS COVERED IN THIS EDITION

ORIGINATING UNITS	BEGINNING BNMS	THROUGH	ENDING BNMS
CCGD8	BNM 0497-04 (D8)		BNM 0507-04 (D8)
CCGD8 (OB)	BNM 0156-04 (OB)		BNM 0157-04 (OB)
GROUP MOBILE (MO)	BNM 0953-04 (MO)		BNM 0978-04 (MO)
GROUP NEW ORLEANS (NO)	BNM 1390-04 (NO)		BNM 1426-04 (NO)
GROUP GALVESTON (GA)	BNM 1554-04 (GA)		BNM 1603-04 (GA)
GROUP CORPUS CHRISTI (CC)	BNM 0591-04 (CC)		BNM 0604-04 (CC)

## SECTION I

## SPECIAL NOTICES

DGPS SITE OFF-AIR TIME	Off-air time has been approved for English Turn, Louisiana, DGPS Site from 1300Z to 1500Z, on October 19, 2004. The alternate time will be from 1300Z to 1500Z, on October 20, 2004, for preventive maintenance services.
LA-TX GULF OF MEXICO Private Aid Establishment (Racon)	EL-PASO-WC-62-T RACON (LLNR-979) has been established on an EL PASO Caisson adjacent to the safety fairway in West Cameron Block 62, in approximate position 29-37-38.44N 93-18-11.5W, 58 feet above the water with a response characteristic of morse code "Charlie" (---) on S and X frequency bands. Any interested company or individual wishing to provide comments or participate in a user survey should complete and mail the enclosed questionnaire by October 25, 2004. <i>Charts: 1116, 11340, 11344</i> <i>Ref: PRIVATE AIDS</i>
LA-TX GULF OF MEXICO Private Aid Establishment (Racon)	EL-PASO-WC-61-D RACON (LLNR-262) has been established on a POGO Caisson adjacent to the safety fairway in Main Pass, Block 61, in approximate position 29-19-33.840N 88-52-37.390W, 40 feet above the water with a response characteristic of morse code "Xray" (---) on S and X frequency bands. Any interested company or individual wishing to provide comments or participate in a user survey should complete and mail the enclosed questionnaire by November 4, 2004. <i>Charts: 1115A, 11360, 11361</i> <i>Ref: PRIVATE AIDS</i>
FL PENSACOLA SHIP CHANNEL AND PENSACOLA BAY	The Coast Guard is conducting a Waterway Analysis and Management System (WAMS) Study of Waterway 8063, the Pensacola Ship Channel and Pensacola Bay. The study focuses on the area's aids to navigation system, waterborne commerce, marine casualty information, port/harbor resources, emergency response plans, routine and emergency communication capabilities, and future development projects. Any interested company or individual wishing to provide comments or participate in a user survey should complete and mail the enclosed questionnaire to or contact by December 31, 2004: Commanding Officer USCGC Cypress (WLB-210) Attn: ENS Patrick J. Ball c/o Coast Guard Base Mobile South Broad Street Mobile, AL 36615 e-mail: <a href="mailto:pball@cgccypress.uscg.mil">pball@cgccypress.uscg.mil</a> 251-441-6277 (w) 251-441-6282 (f)

SECTION II & III DISCREPANCIES AND DISCREPANCIES CORRECTED						
To report (Federal or Private) Aids to Navigation Discrepancies, contact the nearest Coast Guard Group Office. The following listing is for the 24-hour watch stander that is available to take your call.						
Coast Guard Group Mobile, AL (251) 441-6211			Coast Guard Group New Orleans, LA (504) 846-6160			
Coast Guard Group Galveston, TX (409) 766-5620			Coast Guard Group Corpus Christi, TX (361) 939-6393			
FEDERAL AID DISCREPANCIES	LLNR	AID NAME	STATUS	CHART	BNM	LNM
	105.00	Cape St George Outer Shoal Lighted Bell Buoy 28	MISSING	11401	0971-04 MO	42/04
	1065.00	Sabine Bank Channel Lighted Whistle Buoy SB	LT EXT/RAC INOP	11332	1570-04 GA	42/04
	3135.00	Gulf County Canal Entrance Lighted Buoy 4	ADRIFT	11389	0969-04 MO	42/04
	4215.00	FAIR POINT LIGHT 2	TRLB	11378		42/04
	5345.00	MOBILE CHANNEL LIGHT 63	DBN IMCH	11376	0972-04 MO	42/04
	6240.00	Theodore Ship Channel Daybeacon 9	TRUB	11376		42/04
	7570.00	BILOXI EAST CHANNEL LIGHT 14	TRLB	11372		42/04
	7615.00	Biloxi East Channel Daybeacon 24	MISSING	11372	1411-04 NO	42/04
	7635.00	BILOXI E CH DBN 30	TRUB	11372		42/04
	7920.00	Biloxi Channel Daybeacon 35	TRUB	11372	1411-04 NO	42/04
	8500.00	Gulfport Ship Channel Lighted Buoy 23	LT DIM	11372	1419-04 NO	42/04
	8765.00	Gulfport Small Boat Harbor Daybeacon 6	DBN DEST	11371	1418-04 NO	42/04
	8766.00	Gulfport Small Boat Harbor Daybeacon 5a	DBN DEST	11371	1418-04 NO	42/04
	10835.00	Mississippi River - Gulf Outlet Jetty Cut Daybeacon 3	DBN IMCH	11363		42/04
	12547.00	South Pass Lighted Buoy 3	OFF STA	11361		42/04
	12565.00	SOUTH PASS WEST JETTY RANGE REAR LIGHT	DBN IMCH	11361		42/04
	12810.00	DOUBLE BAYOU LIGHT 19	LT DIM	11361		42/04
	15990.00	BAYOU RIGOLETTES LIGHT 2	TRLB	11352		42/04
	16696.13	Timbalier - Terrebonne Bay Daybeacon 13	LT EXT	11352	1400-04 NO	42/04
	17020.00	LAKE LA GRAISSE LIGHT 7	TRLB	11352		42/04
	17135.00	Cat Island Pass Lighted Buoy 7	TRLB	11352		42/04
	17140.00	Cat Island Pass Lighted Buoy 9	TRLB	11352	1395-04 NO	42/04
	19997.00	FRESHWATER BAYOU OBSTRUCTION LIGHT 13	DBN DMGD	11349	1393-04 NO	42/04
	20895.00	CALCASIEU CHANNEL LIGHT 91	TRLB	11347		42/04
	21310.00	Sabine Bank Channel Lighted Whistle Buoy SB	LT EXT/RAC INOP	11332	1570-04 GA	42/04
	21760.00	PORT ARTHUR CANAL LIGHT 40	TRLB	11342		42/04
	22890.00	HOUSTON SHIP CHANNEL LIGHT 29	MISSING	11324	1591-04 GA	42/04
	22917.00	HOUSTON SHIP CHANNEL LIGHT 33	MISSING	11324	1602-04 GA	42/04
	22960.00	HOUSTON SHIP CHANNEL LIGHT 39	TRLB	11324	1579-04 GA	42/04
	23135.00	HOUSTON SHIP CHANNEL LIGHT 62	TRLB	11326	1581-04 GA	42/04
	23190.00	HOUSTON SHIP CHANNEL LIGHT 72	TRLB	11326	1580-04 GA	42/04
	23995.00	HOUSTON SHIP CHANNEL LIGHT 107	TRLB	11326	1586-04 GA	42/04
	24505.00	HOUSTON SHIP CHANNEL LIGHT 152	TRLB	11325	1578-04 GA	42/04
	24595.00	DOUBLE BAYOU CHANNEL LIGHT 16	TRLB	11326	1568-04 GA	42/04
	26072.00	MATAGORDA SHIP CHANNEL LIGHT 25	TRLB	11316		42/04
	27100.00	Aransas Channel Daybeacon 11	DBN IMCH	11309	0593-04 CC	42/04
	27160.00	CORPUS CHRISTI CUT A EAST RANGE REAR LIGHT	LT EXT	11307	0605-04 CC	42/04
	27475.00	CORPUS CHRISTI CHANNEL LIGHT 32	LT EXT	11308	0606-04 CC	42/04
	27743.00	LA QUINTA CHANNEL ENTRANCE RANGE REAR LIGHT	LT EXT	11308	0607-04 CC	42/04
	30000.00	West Bay Buoy 34	OFF STA	11385	0959-04 MO	42/04
	32135.00	PENSACOLA-MOBILE LIGHT 97	TRLB	11378	0965-04 MO	42/04
	32180.00	Pensacola-Mobile Buoy 106	TRUB	11376		42/04
	33765.00	CALCASIEU CHANNEL LIGHT 91	TRLB	11347		42/04
	34263.00	BOLIVAR PENINSULA LIGHT 19A	MISSING	11324	1601-04 GA	42/04
	35240.00	Chocolate Bayou Channel Buoy 22	MISSING	11322	1561-04 GA	42/04
	40650.00	Harlingen-Port Isabel Buoy 149	OFF STA	11302	0604-04 CC	42/04
FEDERAL AID DISCREPANCIES CORRECTED	LLNR	AID NAME	STATUS	CHART	BNM	LNM
	180.00	PENSACOLA LIGHT	RELIGHTED	11382	0830-04 MO	38/04
	3885.00	U. S. Coast Guard Base Daybeacon 5	REBUILT/REMAINS	11385	0572-04 MO	27/04
	3895.00	Choctawhatchee Bay Entrance Daybeacon 13	REBUILT/REMAINS	11385		38/04
	3940.00	PENSACOLA LIGHT	RELIGHTED	11382	0830-04 MO	38/04
	4690.00	ESCAMBIA BAY LIGHT 2	REBUILT/REMAINS	11378		42/04
	4692.00	ESCAMBIA BAY WRECK LIGHT WR3	REBUILT/REMAINS	11378		42/04
	4695.00	Escambia Bay Daybeacon 4	REBUILT/REMAINS	11378		40/04
	4705.00	Escambia Bay Daybeacon 9	REBUILT/REMAINS	11378		42/04
	4750.00	ESCAMBIA BAY LIGHT 18	WATCHING PROPERLY	11378		40/04
	5070.00	MOBILE MIDDLE GROUND RANGE FRONT LIGHT	WATCHING PROPERLY	11376	0944-04 MO	41/04
	5075.00	MOBILE MIDDLE GROUND RANGE REAR LIGHT	WATCHING PROPERLY	11376	0944-04 MO	41/04
	5120.00	Mobile Channel Lighted Buoy 22	RESET ON STATION	11376		38/04
	5140.00	MOBILE CH LB 26	WATCHING PROPERLY	11376	0952-04 MO	41/04
	6195.00	THEODORE SHIP CHANNEL OUTER RANGE REAR LIGHT	WATCHING PROPERLY	11376	0945-04 GA	41/04
	6950.00	Pascagoula Channel Lighted Buoy 21	RELIGHTED	11374		41/04

SECTION II & III DISCREPANCIES AND DISCREPANCIES CORRECTED (Cont.)						
FEDERAL AID DISCREPANCIES CORRECTED	LLNR	AID NAME	STATUS	CHART	BNM	LNM
	7045.00	Pascagoula Channel Lighted Buoy 35	RELIGHTED	11373		42/04
	7070.00	PASCAGOULA CHANNEL B RANGE REAR LIGHT	REBUILT/RECOVERED	11373	0859-04 MO	38/04
	7080.00	PASCAGOULA CHANNEL C RANGE REAR LIGHT	RELIGHTED	11373	0973-04 MO	42/04
	7355.00	BAYOU CASOTTE CHANNEL A RANGE FRONT LIGHT	WATCHING PROPERLY	11373	0976-04 MO	42/04
	7370.00	BAYOU CASOTTE CHANNEL D RANGE REAR LIGHT	REBUILT/RECOVERED	11374		38/04
	7465.00	BAYOU CASOTTE CHANNEL C RANGE FRONT LIGHT	REBUILT/RECOVERED	11373	0966-04 MO	42/04
	7790.00	Biloxi Channel Daybeacon 1	WATCHING PROPERLY	11372		41/04
	8506.00	SHIP ISLAND PASS ENTRANCE RANGE FRONT LIGHT	WATCHING PROPERLY	11372		41/04
	8630.00	GULFPORT SHIP CH LT 48	WATCHING PROPERLY	11372	1380-04 NO	41/04
	8785.00	GULFPORT YACHT BASIN CHANNEL LIGHT 2	WATCHING PROPERLY	11372		41/10
	8800.00	Gulfport Yacht Basin Channel Daybeacon 5	WATCHING PROPERLY	11372		42/04
	12580.00	PICAYUNE BAYOU LIGHT 7	RELIGHTED	11361		42/04
	12585.00	OYSTERVILLE LIGHT 9	REBUILT/REMAINS	11361		38/04
	12602.00	SOUTH PASS LIGHT 11A	REBUILT/REMAINS	11361		42/04
	12605.00	FRANKS CROSSING LIGHT 13	RELIGHTED	11361		42/04
	12625.00	SOUTH PASS LIGHT 15	RELIGHTED	11361		42/04
	12835.00	SOUTHWEST PASS LIGHT 22	REBUILT/RECOVERED	11361	0440-04 D8	38/04
	12905.00	HEAD OF PASSES EAST JETTY LIGHT	REBUILT/REMAINS	11361	1215-03 NO	39/04
	12955.00	PILOTTOWN WINGDAM LIGHT 2	RELIGHTED	11361		42/04
	12990.00	OLD QUARANTINE STATION LIGHT 6	REBUILT/REMAINS	11361		39/04
	13010.00	JUMP LIGHT 9	WATCHING PROPERLY	11361		39/04
	13877.00	Ama Anchorage Upper Daybeacon 117.3	WATCHING PROPERLY	11370	0909-04 NO	29/04
	14580.00	ALHAMBRA RANGE REAR D LIGHT	RELIGHTED	11370	1355-04 NO	41/04
	16696.36	TIMBALIER - TERREBONNE BAY LIGHT 36	RELIGHTED	11352		42/04
	17000.00	LAKE LA GRAISSE ENTRANCE LIGHT 1	WATCHING PROPERLY	11352		42/04
	17005.00	LAKE LA GRAISSE LIGHT 2	WATCHING PROPERLY	11352		42/04
	17010.00	LAKE LA GRAISSE LIGHT 4	WATCHING PROPERLY	11352		42/04
	17115.00	Cat Island Pass Lighted Buoy 1	RESET ON STATION	11352	1342-04 NO	41/04
	17255.00	Houma Navigation Canal Buoy 14	WATCHING PROPERLY	11355		42/04
	17270.00	Houma Navigation Canal Daybeacon 16	WATCHING PROPERLY	11357		42/04
	19490.00	SOUTHWEST PASS-VERMILION BAY LIGHT 8	REBUILT/REMAINS	11345		27/04
	19505.00	SOUTHWEST PASS-VERMILION BAY LIGHT 11	RELIGHTED	11345		42/04
	20245.00	Mermentau River Daybeacon 6	REBUILT/REMAINS	11345	1281-04 GA	33/04
	20250.00	Mermentau River Daybeacon 7	REBUILT/REMAINS	11345	1282-04 GA	33/04
	20265.00	Mermentau River Daybeacon 11	REBUILT/REMAINS	11345	0484-04 GA	14/04
	20310.00	LAKE ARTHUR A RANGE FRONT LIGHT	WATCHING PROPERLY	11345	1291-04 GA	33/04
	20415.00	Lake Arthur Daybeacon 33	REBUILT/REMAINS	11348	1284-04 GA	33/04
	20765.00	CALCASIEU CHANNEL LIGHT 69	WATCHING PROPERLY	11347		42/04
	20875.00	CALCASIEU CH LT 87	WATCHING PROPERLY	11347		42/04
	20905.00	DEVILS ELBOW JUNCTION LIGHT	REBUILT/REMAINS	11347	0125-04 GA	05/04
	21085.00	COON ISLAND CHANNEL LIGHT 3	WATCHING PROPERLY	11347	1292-04 GA	33/04
	21130.00	Coon Island Channel Daybeacon 12	REBUILT/REMAINS	11347	1273-04 GA	32/04
	21140.00	Coon Island Channel Daybeacon 16	REBUILT/REMAINS	11347		42/04
	21875.00	SABINE-NECHES CANAL LIGHT 52A	WATCHING PROPERLY	11331		42/04
	21935.00	SABINE-NECHES CANAL LIGHT 64	REBUILT/RECOVERED	11331		34/04
	21965.00	SABINE-NECHES CANAL LIGHT 66	REBUILT/RECOVERED	11331	1587-04 GA	42/04
	22030.00	Sabine-Neches Canal Buoy 77	WATCHING PROPERLY	11331		42/04
	22035.00	SABINE-NECHES CANAL B 78	WATCHING PROPERLY	11331		42/04
	22040.00	SABINE-NECHES CANAL B 79	WATCHING PROPERLY	11331		42/04
	22070.00	Sabine River Daybeacon 4	REBUILT/RECOVERED	11331		40/04
	22165.00	SABINE RIVER LIGHT 22	REBUILT/RECOVERED	11331	1550-04 GA	41/04
	22200.00	SABINE RIVER LIGHT 31	REBUILT/RECOVERED	11343	1205-04 GA	32/04
	22275.00	Neches River Buoy 2	RESET ON STATION	11331		42/04
	22350.00	NECHES RIVER S RANGE FRONT LIGHT	RELIGHTED	11343		42/04
	22620.00	Galveston Bay Entrance Channel Lighted Buoy 3	WATCHING PROPERLY	11324	1548-04 GA	41/04
	22625.00	Galveston Bay Entrance Channel Lighted Buoy 4	WATCHING PROPERLY	11323	1503-04 GA	40/04
	23265.00	BAYPORT SHIP CHANNEL LIGHT 3	RELIGHTED	11326	1534-04 GA	41/04
	23285.00	BAYPORT SHIP CHANNEL LIGHT 7	RELIGHTED	11326	1536-04 GA	41/04
	24190.00	LOWER CROSSOVER OUTBOUND RANGE REAR LIGHT	RELIGHTED	11329	1530-04 GA	41/04
	24440.00	Carpenters Bayou Entrance Buoy 2	WATCHING PROPERLY	11325	1590-04 GA	42/04
	24470.00	HOUSTON SHIP CHANNEL LIGHT 136	REBUILT/RECOVERED	11325		42/04
	24500.00	HOUSTON SHIP CHANNEL LIGHT 150	WATCHING PROPERLY	11325		41/04
	24835.00	Texas City Connection Channel Buoy 1	RESET ON STATION	11324		42/04
	24840.00	Texas City Connection Channel Buoy 2	WATCHING PROPERLY	11324	1553-04 GA	41/04
	25630.00	FREEMPORT ENTRANCE LIGHT 8	WATCHING PROPERLY	11321	1569-04 GA	42/04

SECTION II & III DISCREPANCIES AND DISCREPANCIES CORRECTED (Cont.)						
FEDERAL AID DISCREPANCIES CORRECTED	LLNR	AID NAME	STATUS	CHART	BNM	LNM
	26072.00	MATAGORDA SHIP CHANNEL LIGHT 25	RELIGHTED	11316	0598-04 CC	42/04
	27510.00	CORPUS CHRISTI CHANNEL LIGHT 44	WATCHING PROPERLY	11308	0591-04 CC	41/04
	27580.00	CORPUS CHRISTI CUT B WEST RANGE REAR LIGHT	WATCHING PROPERLY	11311	0587-04 CC	41/04
	27635.00	INDUSTRIAL CANAL RANGE REAR LIGHT	RELIGHTED	11309	0588-04 CC	41/04
	27775.00	LA QUINTA CHANNEL INNER RANGE REAR LIGHT	WATCHING PROPERLY	11309	0567-04 CC	39/04
	27940.00	CORPUS CHRISTI BREAKWATER LIGHT 1	RELIGHTED	11309		42/04
	30650.00	Boggy Bayou Daybeacon 6	REBUILT/REMAINS	11385	0961-04 MO	42/04
	30725.00	BLACK POINT LIGHT 2	REBUILT/REMAINS	11385		40/04
	30730.00	Garnier Bayou Entrance Daybeacon 4	REBUILT/REMAINS	11385		40/04
	30735.00	SMACK SHOAL LIGHT 3	REBUILT/REMAINS	11385		40/04
	30830.00	Santa Rosa Sound Daybeacon 6	REBUILT/RECOVERED	11385		42/04
	30900.00	Santa Rosa Sound Daybeacon 24	REBUILT/REMAINS	11385		40/04
	30945.00	SANTA ROSA SOUND LIGHT 37	REBUILT/REMAINS	11385		42/04
	31135.00	SANTA ROSA SOUND LIGHT 75	REBUILT/REMAINS	11385		38/04
	31170.00	SANTA ROSA SOUND LIGHT 81	REBUILT/RECOVERED	11385		40/04
	31200.00	SANTA ROSA SOUND LIGHT 87	REBUILT/REMAINS	11385		42/04
	31225.00	SANTA ROSA SOUND LIGHT 90	REBUILT/REMAINS	11385	0957-04 MO	42/04
	31235.00	Santa Rosa Sound Daybeacon 92	REBUILT/REMAINS	11385		42/04
	31250.00	HOUSTON SHIP CHANNEL LIGHT 38	RELIGHTED	11324	1566-04 GA	42/04
	31345.00	SANTA ROSA SOUND LIGHT 121	REBUILT/REMAINS	11385		40/04
	31355.00	SANTA ROSA SOUND LIGHT 123	REBUILT/REMAINS	11385		39/04
	31360.00	SANTA ROSA SOUND LIGHT 125	REBUILT/REMAINS	11385		39/04
	31370.00	SANTA ROSA SOUND LIGHT 129	REBUILT/REMAINS	11385		40/04
	31380.00	SANTA ROSA SOUND LIGHT 131	REBUILT/REMAINS	11378		40/04
	31500.00	SANTA ROSA SOUND LIGHT 133	REBUILT/REMAINS	11378		40/04
	31550.00	SANTA ROSA SOUND LIGHT 142	REBUILT/REMAINS	11378		40/04
	31555.00	SANTA ROSA SOUND LIGHT 144	REBUILT/REMAINS	11378		40/04
	31560.00	SANTA ROSA SOUND LIGHT 145	REBUILT/REMAINS	11378		40/04
	32360.00	MOBILE CH LB 26	WATCHING PROPERLY	11376	0952-04 MO	41/04
	33350.00	Delta Farms Buoy 1	RESET ON STATION	11355	1413-04 NO	42/04
	33610.00	MUD LAKE LIGHT 9	REBUILT/REMAINS	11345	1268-04 NO	39/04
	33730.00	Sweet Lake Daybeacon 4	REBUILT/RECOVERED	11348		42/04
	33745.00	DEVILS ELBOW JUNCTION LIGHT	REBUILT/REMAINS	11347	0125-04 GA	05/04
	33775.00	SABINE RIVER LIGHT 22	REBUILT/RECOVERED	11331	1550-04 GA	41/04
	33855.00	Sabine River Daybeacon 4	REBUILT/RECOVERED	11331		40/04
	33860.00	SABINE-NECHES CANAL B 78	WATCHING PROPERLY	11331		42/04
	33885.00	SABINE-NECHES CANAL B 79	WATCHING PROPERLY	11331		42/04
	33895.00	Sabine-Neches Canal Buoy 77	WATCHING PROPERLY	11331		42/04
	33960.00	SABINE-NECHES CANAL LIGHT 66	REBUILT/RECOVERED	11331	1587-04 GA	42/04
	33990.00	SABINE-NECHES CANAL LIGHT 64	REBUILT/RECOVERED	11331		34/04
	34040.00	SABINE-NECHES CANAL LIGHT 52A	WATCHING PROPERLY	11331		42/04
	34180.00	ROLLOVER BAY B 10	RESET ON STATION	11326		42/04
	34255.00	Bolivar Peninsula Buoy 18	WATCHING PROPERLY	11324	1588-04 GA	42/04
	34265.00	Bolivar Peninsula Buoy 20	WATCHING PROPERLY	11324	1589-04 GA	41/04
	34280.00	GALVESTON -FREEPORT CUTOFF CH B 3	RESET ON STATION	11324		42/04
	34285.00	GALVESTON -FREEPORT CUTOFF CH B 5	RESET ON STATION	11324		42/04
	34290.00	GALVESTON -FREEPORT CUTOFF CHANNEL LIGHT 7	WATCHING PROPERLY	11324	1552-04 GA	41/04
	34375.00	Galveston-Freeport Buoy 22	RESET ON STATION	11324		42/04
	34440.00	GALVESTON -FREEPORT LIGHT 2	WATCHING PROPERLY	11324	1551-04 GA	41/04
	34445.00	Galveston-Freeport Buoy 3	RESET ON STATION	11324		42/04
	34450.00	Galveston-Freeport Buoy 4	WATCHING PROPERLY	11324		42/04
	34455.00	Galveston-Freeport Buoy 5	WATCHING PROPERLY	11324		42/04
	34460.00	Galveston-Freeport Buoy 6	RESET ON STATION	11324		42/04
	34485.00	Galveston-Freeport Buoy 9	RESET ON STATION	11324		42/04
	34585.00	Galveston-Freeport Buoy 22	RESET ON STATION	11324		42/04
	34590.00	Galveston-Freeport Buoy 23	RESET ON STATION	11324		42/04
	34615.00	Galveston-Freeport Buoy 26	RESET ON STATION	11324		42/04
	34800.00	GALVESTON -FREEPORT D RANGE REAR LIGHT	RELIGHTED	11324	1527-04 GA	41/04
	34940.00	Galveston-Freeport Buoy 52	WATCHING PROPERLY	11322		42/04
	35085.00	CHOCOLATE BAY B 1A	RESET ON STATION	11322	1557-04 GA	42/04
	35100.00	Chocolate Bay Buoy 3	RESET ON STATION	11322	1558-04 GA	42/04
	35105.00	CHOCOLATE BAY B 4	RESET ON STATION	11322	1560-04 GA	42/04
	35110.00	CHOCOLATE BAY B 5	REBUILT/RECOVERED	11322	1559-04 GA	42/04
	35120.00	Chocolate Bay Buoy 8	WATCHING PROPERLY	11322		42/04
	35130.00	Chocolate Bay Buoy 10	RESET ON STATION	11322		42/04
	35137.00	Chocolate Bayou West Channel Buoy 2	WATCHING PROPERLY	11322		42/04
	35175.00	Chocolate Bayou Channel Buoy 8	RESET ON STATION	11322		42/04

SECTION II & III DISCREPANCIES AND DISCREPANCIES CORRECTED (Cont.)							
FEDERAL AID DISCREPANCIES CORRECTED	LLNR	AID NAME	STATUS		CHART	BNM	LNM
	35385.00	Chocolate Bay Buoy 22	WATCHING PROPERLY		11322	1561-04 GA	42/04
	37805.00	Corpus Christi Baffin Bay Buoy 29	WATCHING PROPERLY		11308	0594-04 CC	42/04
	39945.00	Land Cut-Arroyo Colorado Buoy 205	WATCHING PROPERLY		11303		42/04
	39985.00	Arroyo Colorado Cutoff Channel North Entrance Buoy 3n	WATCHING PROPERLY		11308		42/04
TEMPORARY CHANGES	LLNR	AID NAME	STATUS		CHART	BNM	LNM
	23130.00	HOUSTON SHIP CHANNEL LIGHT 61	DISCONTINUED FOR DREDGING		11326		42/04
	23170.00	HOUSTON SHIP CHANNEL LIGHT 68	DISCONTINUED FOR DREDGING		11326	1592-04 GA	42/04
	31865.00	Pensacola-Mobile Daybeacon 37	DISCONTINUED FOR DREDGING		11378		42/04
	31870.00	PENSACOLA-MOBILE LIGHT 39	DISCONTINUED FOR DREDGING		11378		42/04
TEMPORARY CHANGES CORRECTED	LLNR	AID NAME	STATUS		CHART	BNM	LNM
	24205.00	HSC LT 122	WATCHING PROPERLY		11326	1114-04 GA	28/04
	24270.00	HSC LT 126	WATCHING PROPERLY		11326	0563-04 GA	16/04
PRIVATE AID DISCREPANCIES	LLNR	AID NAME	STATUS		CHART	BNM	LNM
	NONE						
PRIVATE AID DISCREPANCIES CORREC TED	LLNR	AID NAME	STATUS		CHART	BNM	LNM
	NONE						
PRIVATE AID PLATFORM DISCREPANCIES	PLATFORM	STATUS		POSITION		BNM	LNM
	NONE						
PRIVATE AID PLATFORM DISCREPANCIES CORRECTED	PLATFORM	STATUS		POSITION		BNM	LNM
	CHEVRON -205-15	RELIGHTED		28-40-02.000N 090-14-43.000W			42/04
	CHEVRON -136-4	WATCHING PROPERLY		28-40-12.000N 090-07-45.000W			42/04
	CHEVRON -144-6	WATCHING PROPERLY		28-53-51.000N 090-28-35.000W			42/04
	CHEVRON -101-22	RELIGHTED		29-24-00.000N 088-58-11.000W			42/04

SECTION IV CHART CORRECTIONS AND SUPPLEMENTAL DRILL RIG / PLATFORM INFORMATION						
1115A	40TH ED.,10/20/2002 LAST LNM 41/04 NAD 83 MS - CAPE ST. GEORGE TO MISSISSIPPI RIVER					42/04
	PLATFORM: (POGO-103-11)		29-14-18.425N	088-53-03.737W		D08
	PLATFORM: (LEGACY-100-1)		30-17-43.100N	088-02-50.100W		D08
1116A	69TH ED.,09/2004 LAST LNM 41/04 NAD 83 LA - MISSISSIPPI RIVER TO GALVESTON					42/04
DELETE	(TEMP) POSITION CIRCLE WITH LEGEND: "WELL COV 31FMS" AND LIGHTED BUOY, (PRIV MAINT) (REMINGTON-300-5)		28-23-01.696N	091-57-26.633W		D08
	PLATFORM (NW-8348)					
		CENTERED AT	28-30-33.700N	092-36-46.400W		NOS
ADD	BLACK DASHED MINIMUM SIZED FISH HAVEN AND LABEL: FISH HAVEN (AUTH MIN 15 FMS)					
		CENTERED AT	28-30-47.300N	092-36-46.400W		NOS
	PLATFORM: (ATP-100-12)		29-05-54.100N	093-03-44.500W		D08
	PLATFORM: (REMINGTON-300-5)		28-23-01.696N	091-57-26.633W		D08
	(TEMP) POSITION CIRCLE WITH LEGEND "WELL COV 27FMS" AND LIGHTED BUOY, FL W 25S, WOR (PRIV MAINT) (REMINGTON-101-9)		28-21-33.887N	092-56-36.084W		D08
1117A	39TH ED.,04/20/2003 LAST LNM 40/04 NAD 83 TX - GULF COAST GALVESTON TO RIO GRAND					42/04
DELETE	POSITION CIRCLE WITH LEGEND: "WELL COV 25FMS" AND LIGHTED BUOY, (PRIV MAINT) (PIONEER 100-4)		28-05-09.685N	095-41-19.011W		D08
ADD	PLATFORM: (WD09-ST100-1) (NEUMIN)		28-21-19.156N	096-44-36.050W		D08
	PLATFORM: (PIONEER-100-5)		28-05-09.685N	095-41-19.011W		D08
	PLATFORM: (LLOG-111-9)		27-55-11.739N	096-55-53.643W		D08
11006	31ST ED.,09/01/2003 LAST LNM 41/04 NAD 83 KEY WEST TO MISSISSIPPI RIVER					42/04
ADD	PLATFORM: (LEGACY-100-1)		30-17-43.100N	088-02-50.100W		D08
	PLATFORM: (POGO-103-11)		29-14-18.425N	088-53-03.737W		D08
11300	39TH ED.,04/20/2003 LAST LNM 40/04 NAD 83 TX - GALVESTON TO RIO GRANDE					42/04
DELETE	POSITION CIRCLE WITH LEGEND: "WELL COV 25FMS" AND LIGHTED BUOY, (PRIV MAINT) (PIONEER 100-4)		28-05-09.685N	095-41-19.011W		D08
ADD	PLATFORM: (WD09-ST100-1) (NEUMIN)		28-21-19.156N	096-44-36.050W		D08
	PLATFORM: (PIONEER-100-5)		28-05-09.685N	095-41-19.011W		D08
	PLATFORM: (LLOG-111-9)		27-55-11.739N	096-55-53.643W		D08
11303	20TH ED.,03/21/2001 LAST LNM 38/04 NAD 83 TX - INTRACOASTAL WATERWAY - LAGUNA MADRE - CHUBBY ISLAND TO STOVER POINT					42/04
RELOCATE	ARROYO COLORADO CUTOFF CHANNEL BUOY 14 FROM 26-19-37.551N 097-27-21.044W TO		26-19-37.531N	097-27-20.182W		D08
11313	22ND ED.,03/24/2001 LAST LNM 40/04 NAD 83 TX - MATAGORDA LIGHT TO ARANSAS PASS					42/04
ADD	PLATFORM: (WD09-ST100-1) (NEUMIN)		28-21-19.156N	096-44-36.050W		D08
	PLATFORM: (LLOG-111-9)		27-55-11.739N	096-55-53.643W		D08
11315	31ST ED.,09/20/2003 LAST LNM 40/04 NAD 83 TX - INTRACOASTAL WATERWAY - ESPIRITU SANTA BAY TO CARLOS BAY					42/04
ADD	PLATFORM: (WD09-ST100-1) (NEUMIN)		28-21-19.156N	096-44-36.050W		D08
11322	28TH ED.,03/22/2001 LAST LNM 39/04 NAD 83 TX - INTRACOASTAL WATERWAY - GALVESTON BAY TO CEDAR LAKES					42/04
CHANGE	GALVESTON - FREEPORT E RANGE FRONT LIGHT, Q G, 15 FT		29-16-57.206N	094-53-42.088W		D08
11324	33RD ED.,09/20/2003 LAST LNM 40/04 NAD 83 TX - GALVESTON BAY ENTRANCE					42/04
CHANGE	GALVESTON - FREEPORT E RANGE FRONT LIGHT, Q G, 15 FT		29-16-57.206N	094-53-42.088W		D08

SECTION IV CHART CORRECTIONS AND SUPPLEMENTAL DRILL RIG / PLATFORM INFORMATION (Cont.)					
11324	34TH ED.,10/2004 LAST LNM 40/04 NAD 83 TX - GALVESTON BAY ENTRANCE				42/04
	(NEW EDITION DUE TO NUMEROUS NOTICE TO MARINERS CHANGES.)	1 : 25,000			NOS
	NOAA CHART IS NOW AVAILABLE IN BOTH THE PRINT-ON-DEMAND AND DIGITAL RASTER FORMATS.				
	SEE <a href="http://chartmaker.ncd.noaa.gov/mcd/dole.htm">HTTP://CHARTMAKER.NCD.NOAA.GOV/MCD/DOLE.HTM</a> FOR DETAILS. THE CORRESPONDING TRADITIONAL PAPER				
	CHART WILL BE AVAILABLE IN 2 TO 8 WEEKS.				NOS
11324	33RD ED.,09/2003 LAST LNM 40/04 NAD 83 TX - GALVESTON BAY ENTRANCE				42/04
CHANGE	GALVESTON HARBOR ANCHORAGE BASIN LEGEND TO: 32 FT AUG 2004				
		CENTERED AT	29-20-56.000N	094-44-06.000W	NOS
(NOTE: THE ABOVE CORRECTION IS FOR THE 33 <sup>RD</sup> EDITION. THE CORRECTION HAS BEEN APPLIED TO THE NEW EDITION ANNOUNCED ABOVE)					
11326	32ND ED.,11/20/2003 LAST LNM 41/04 NAD 83 TX - FOLIO SMALL - CRAFT CHART GALVESTON BAY				42/04
CHANGE	MORGANS POINT APPROACH OUTER RANGE FRONT LIGHT TO Q G, 32 FT, 4NM; Q G, 30 FT		29-35-34.402N	094-56-49.268W	D08
11327	31ST ED.,08/20/2003 LAST LNM 40/04 NAD 83 TX - UPPER GALVESTON BAY				42/04
CHANGE	MORGANS POINT APPROACH OUTER RANGE FRONT LIGHT TO Q G, 32 FT, 4NM; Q G, 30 FT		29-35-34.402N	094-56-49.268W	D08
11330	16TH ED.,09/20/2004 LAST LNM 41/04 NAD 83 TX - MERMEMENTAU RIVER TO FREEPORT				42/04
ADD	PLATFORM: (ATP-100-12)		29-05-54.100N	093-03-44.500W	D08
	(TEMP) POSITION CIRCLE WITH LEGEND "WELL COV 27FMS" AND LIGHTED BUOY, FL W 2.5S, WOR (PRIV MAINT)		28-21-33.887N	092-56-36.084W	D08
	(REMINGTON -101-9)				
11340	69TH ED.,09/2004 LAST LNM 41/04 NAD 83 TX - LA - MISSISSIPPI RIVER TO GALVESTON				42/04
DELETE	(TEMP) POSITION CIRCLE WITH LEGEND: "WELL COV 31FMS" AND LIGHTED BUOY, (PRIV MAINT) (REMINGTON-300-5)		28-23-01.696N	091-57-26.633W	D08
	PLATFORM (NW-8348)				
		CENTERED AT	28-30-33.700N	092-36-46.400W	NOS
ADD	BLACK DASHED MINIMUM SIZED FISH HAVEN AND LABEL: FISH HAVEN (AUTH MIN 15 FMS)				
		CENTERED AT	28-30-47.300N	092-36-46.400W	NOS
	PLATFORM: (ATP-100-12)		29-05-54.100N	093-03-44.500W	D08
	PLATFORM: (REMINGTON -300-5)		28-23-01.696N	091-57-26.633W	D08
	(TEMP) POSITION CIRCLE WITH LEGEND "WELL COV 27FMS" AND LIGHTED BUOY, FL W 2.5S, WOR (PRIV MAINT)		28-21-33.887N	092-56-36.084W	D08
	(REMINGTON -101-9)				
11347	34TH ED.,05/2002 LAST LNM 41/04 NAD 83 LA - CALCASIEU RIVER AND LAKE				42/04
ADD	(SIDE A) (NW-8365)				
	PLATFORM (WB4-50-112)				
		AT	30-01-53.000N	093-18-32.000W	NOS
	PLATFORM (WB4-50-107)				
		AT	30-01-55.000N	093-18-46.000W	NOS
	PLATFORM (WB4-50-100)				
		AT	30-01-53.000N	093-18-20.000W	NOS
	PLATFORM (WB4-50-126)				
		AT	30-01-49.000N	093-18-04.000W	NOS
	PLATFORM (WB4-50-121)				
		AT	30-01-48.000N	093-17-53.000W	NOS
	PLATFORM (WB4-50-122)				
		AT	30-01-40.000N	093-17-34.000W	NOS
	PLATFORM (WB4-50-101)				
		AT	30-01-57.000N	093-17-35.000W	NOS
	PLATFORM (WB4-50-123)				
		AT	30-01-53.000N	093-17-45.000W	NOS
	PLATFORM (WB4-50-76)				
		AT	30-02-05.000N	093-17-46.000W	NOS
	PLATFORM (WB4-50-78)				
		AT	30-02-05.000N	093-17-58.000W	NOS
	PLATFORM (WB4-50-140)				
		AT	30-02-04.000N	093-18-57.000W	NOS
	PLATFORM (WB4-50-PLFM)				
		AT	30-01-58.000N	093-18-59.000W	NOS
	(SIDE B)				
	PLATFORM (WB4-50-112)				
		AT	30-01-53.000N	093-18-32.000W	NOS
	PLATFORM (WB4-50-107)				
		AT	30-01-55.000N	093-18-46.000W	NOS
	PLATFORM (WB4-50-100)				
		AT	30-01-53.000N	093-18-20.000W	NOS
	PLATFORM (WB4-50-126)				
		AT	30-01-49.000N	093-18-04.000W	NOS
	PLATFORM (WB4-50-121)				
		AT	30-01-48.000N	093-17-53.000W	NOS
	PLATFORM (WB4-50-122)				
		AT	30-01-40.000N	093-17-34.000W	NOS
	PLATFORM (WB4-50-101)				
		AT	30-01-57.000N	093-17-35.000W	NOS

SECTION IV CHART CORRECTIONS AND SUPPLEMENTAL DRILL RIG / PLATFORM INFORMATION (Cont.)						
11347	34TH ED.,05/2002 LAST LNM 41/04 NAD 83 LA - CALCASIEU RIVER AND LAKE					42/04
ADD	(SIDE B)					
	PLATFORM (WB4-50-123)					
		AT	30-01-53.000N	093-17-45.000W	NOS	
	PLATFORM (WB4-50-76)					
		AT	30-02-05.000N	093-17-46.000W	NOS	
	PLATFORM (WB4-50-78)					
		AT	30-02-05.000N	093-17-58.000W	NOS	
	PLATFORM (WB4-50-140)					
		AT	30-02-04.000N	093-18-57.000W	NOS	
11348	20TH ED.,08/2003 LAST LNM 37/04 NAD 83 LA - FORKED ISLAND TO ELLENDER					42/04
ADD	(SIDE A) (NW-8365)					
	PLATFORM (WB4-50-112)					
		AT	30-01-53.000N	093-18-32.000W	NOS	
	PLATFORM (WB4-50-100)					
		AT	30-01-53.000N	093-18-20.000W	NOS	
	PLATFORM (WB4-50-126)					
		AT	30-01-49.000N	093-18-04.000W	NOS	
	PLATFORM (WB4-50-121)					
		AT	30-01-48.000N	093-17-53.000W	NOS	
	PLATFORM (WB4-50-122)					
		AT	30-01-40.000N	03-17-34.000W	NOS	
	PLATFORM (WB4-50-101)					
		AT	30-01-57.000N	093-17-35.000W	NOS	
	PLATFORM (WB4-50-123)					
		AT	30-01-53.000N	093-17-45.000W	NOS	
	PLATFORM (WB4-50-76)					
		AT	30-02-05.000N	093-17-46.000W	NOS	
	PLATFORM (WB4-50-78)					
		AT	30-02-05.000N	093-17-58.000W	NOS	
11353	3RD ED.,11/20/2003 LAST LNM 40/04 NAD 83 LA - BAPTISTE COLLETTE BAYOU TO MISSISSIPPI RIVER GULF OUTLET					42/04
DELETE	"SUBMERGED OBSTRUCTION SYMBOL (PA)" (CGD8 203-04)		29-28-19.500N	089-05-00.300W	D08	
11360	40TH ED.,10/20/2002 LAST LNM 41/04 NAD 83 FL - CAPE ST GEORGE TO MISSISSIPPI PASSES					42/04
ADD	PLATFORM: (LEGACY-100-1)		30-17-43.100N	088-02-50.100W	D08	
	PLATFORM: (POGO-103-11)		29-14-18.425N	088-53-03.737W	D08	
11361	71ST ED.,12/20/2003 LAST LNM 41/04 NAD 83 LA - MISSISSIPPI RIVER DELTA, SOUTHWEST PASS AND SOUTH PASS					42/04
RELOCATE	PILOTTOWN A RANGE FRONT LIGHT FROM 29-10-04.620N 089-15-16.700W	TO	29-10-06.744N	089-15-16.584W	D08	
	CUBITS GAP RANGE REAR LIGHT FROM 29-09-52.044N 089-15-08.418W	TO	29-09-53.088N	089-15-08.724W	D08	
	SOUTH PASS LIGHT 5 FROM 28-59-38.455N 089-08-30.660W	TO	28-59-39.851N	089-08-29.924W	D08	
	SOUTH PASS WEST JETTY RANGE REAR LIGHT FROM 28-59-30.829N 089-08-36.167W	TO	28-59-31.373N	089-08-37.741W	D08	
	SOUTHWEST PASS LIGHT 12 FROM 28-59-26.472N 089-21-40.276W	TO	28-59-26.465N	089-21-39.808W	D08	
	SOUTH PASS WEST JETTY RANGE FRONT LIGHT FROM 28-59-36.828N 089-08-30.167W	TO	28-59-25.967N	089-08-25.060W	D08	
ADD	PLATFORM: (POGO-103-11)		29-14-18.425N	088-53-03.737W	D08	
11361	72ND ED.,10/2004 LAST LNM 41/04 NAD 83 LA - MISSISSIPPI RIVER DELTA, SOUTHWEST PASS AND SOUTH PASS					42/04
	INSETS: HEAD OF PASSES	1 : 40,000				
	SOUTHWEST PASS	1 : 40,000				
	SOUTH PASS	1 : 40,000				
	(NEW EDITION DUE TO NUMEROUS NOTICE TO MARINERS CHANGES.)	1 : 80,000				NOS
	NOAA CHART IS NOW AVAILABLE IN BOTH THE PRINT-ON-DEMAND AND DIGITAL RASTER FORMATS.					
	SEE <a href="http://CHARTMAKER.NCD.NOAA.GOV/MCD/DOLE.HTM">HTTP://CHARTMAKER.NCD.NOAA.GOV/MCD/DOLE.HTM</a> FOR DETAILS. THE CORRESPONDING TRADITIONAL PAPER					
	CHART WILL BE AVAILABLE IN 2 TO 8 WEEKS.					NOS
11363	39TH ED.,08/20/2003 LAST LNM 40/04 NAD 83 LA - CHANDELEUR AND BRETON SOUNDS					42/04
DELETE	"SUBMERGED OBSTRUCTION SYMBOL (PA)" (CGD8 203-04)		29-28-19.500N	089-05-00.300W	D08	
11366	8TH ED.,10/01/2003 LAST LNM 41/04 NAD 83 LA - MS - APPROACHES TO MISSISSIPPI RIVER					42/04
DELETE	"SUBMERGED OBSTRUCTION SYMBOL (PA)" (CGD8 203-04)		29-28-19.500N	089-05-00.300W	D08	
ADD	PLATFORM: (POGO-103-11)		29-14-18.425N	088-53-03.737W	D08	
11371	37TH ED.,10/2004 LAST LNM 39/04 NAD 83 MS - LA - LAKE BORGNE AND APPROACHES - CAT ISLAND TO POINT AUX HERBES					42/04
	(NEW EDITION DUE TO NUMEROUS NOTICE TO MARINERS CHANGES.)	1 : 80,000				NOS
	NOAA CHART IS NOW AVAILABLE IN BOTH THE PRINT-ON-DEMAND AND DIGITAL RASTER FORMATS.					
	SEE <a href="http://CHARTMAKER.NCD.NOAA.GOV/MCD/DOLE.HTM">HTTP://CHARTMAKER.NCD.NOAA.GOV/MCD/DOLE.HTM</a> FOR DETAILS. THE CORRESPONDING TRADITIONAL PAPER					
	CHART WILL BE AVAILABLE IN 2 TO 8 WEEKS.					NOS
11372	31ST ED.,03/20/2004 LAST LNM 39/04 NAD 83 MS - LA - INTRACOASTAL WATERWAY - DOG KEYS PASS TO WAVELAND					42/04
RELOCATE	GULFPORT MIDDLE REACH INBOUND RANGE FRONT LIGHT FROM 30-15-58.331N 089-00-25.828W	TO	30-15-58.582N	089-00-25.878W	D08	
11373	43RD ED.,09/20/2003 LAST LNM 36/04 NAD 83 MS - MISSISSIPPI SOUND AND APPROACHES - DAUPHIN ISLAND TO CAT ISLAND					42/04
RELOCATE	GULFPORT MIDDLE REACH INBOUND RANGE FRONT LIGHT FROM 30-15-58.331N 089-00-25.828W	TO	30-15-58.582N	089-00-25.878W	D08	
	PASCAGOULA CHANNEL D RANGE FRONT LIGHT FROM 30-12-58.730N 088-30-15.580W	TO	30-12-57.520N	088-30-15.435W	D08	
DELETE	"SUBMERGED OBSTRUCTION SYMBOL (PA)" (CGD8 205-04)		30-17-55.000N	088-30-45.000W	D08	
11374	32ND ED.,10/20/2003 LAST LNM 35/04 NAD 83 MS - INTRACOASTAL WATERWAY - DAUPHIN ISLAND TO DOG KEYS PASS					42/04
RELOCATE	PASCAGOULA CHANNEL D RANGE FRONT LIGHT FROM 30-12-58.730N 088-30-15.580W	TO	30-12-57.520N	088-30-15.435W	D08	
DELETE	"SUBMERGED OBSTRUCTION SYMBOL (PA)" (CGD8 205-04)		30-17-55.000N	088-30-45.000W	D08	

SECTION IV CHART CORRECTIONS AND SUPPLEMENTAL DRILL RIG / PLATFORM INFORMATION (Cont.)						
11375	35TH ED.,08/22/2002 LAST LNM 39/04 NAD 83 MS - PASCAGOULA HARBOR					42/04
RELOCATE	PASCAGOULA CHANNEL D RANGE FRONT LIGHT FROM 30-12-58.730N 088-30-15.580W			TO	30-12-57.520N 088-30-15.435W	D08
DELETE	"SUBMERGED OBSTRUCTION SYMBOL (PA)" (CGD8 205-04)				30-17-55.000N 088-30-45.000W	D08
11376	49TH ED.,09/20/2003 LAST LNM 41/04 NAD 83 AL - MOBILE BAY ENTRANCE					42/04
DELETE	"SUBMERGED OBSTRUCTION SYMBOL (PA)" AND LEGEND: "AWASH" (STEEL BEAM) (CGD8 059-04)				30-41-09.040N 088-02-14.155W	D08
	MOBILE CHANNEL OBSTRUCTION TEMP LB "WR87A" (CGD8 059-04)				30-41-09.040N 088-02-14.155W	D08
CHANGE	MOBILE CHANNEL LOWER REACH RANGE FRONT TO Q W, 28 FT, 5NM; Q W, 26 FT				30-26-23.637N 088-00-43.828W	D08
ADD	PLATFORM: (LEGACY-100-1)				30-17-43.100N 088-02-50.100W	D08
11377	5TH ED.,06/02/2003 LAST LNM 33/04 NAD 83 AL - MOBILE BAY (APPROACHES AND LOWER HALF) - FOR OFFICIAL USE ONLY					42/04
CHANGE	MOBILE CHANNEL LOWER REACH RANGE FRONT TO Q W, 28 FT, 5NM; Q W, 26 FT				30-26-23.637N 088-00-43.828W	D08
ADD	PLATFORM: (LEGACY-100-1)				30-17-43.100N 088-02-50.100W	D08
11378	33RD ED.,02/20/2004 LAST LNM 41/04 NAD 83 FL - AL - INTRACOASTAL WATERWAY - SANTA ROSA SOUND TO DAUPHIN ISLAND					42/04
RELOCATE	PENSACOLA-MOBILE LIGHT 13 FROM 30-18-50.063N 087-23-25.892W			TO	30-18-50.037N 087-23-25.853W	D08
ADD	PLATFORM: (LEGACY-100-1)				30-17-43.100N 088-02-50.100W	D08
11379	2ND ED.,12/20/2002 LAST LNM 25/04 NAD 83 AL - MOBILE BAY - EAST FOWL RIVER TO DEER RIVER POINT - FOR OFFICIAL USE ONLY					42/04
CHANGE	MOBILE CHANNEL LOWER REACH RANGE FRONT TO Q W, 28 FT, 5NM; Q W, 26 FT				30-26-23.637N 088-00-43.828W	D08
11385	26TH ED.,03/12/2004 LAST LNM 34/04 NAD 83 FL - INTRACOASTAL WATERWAY - WEST BAY TO SANTA ROSA SOUND					42/04
DELETE	SANTA ROSA SOUND LIGHT 56				30-24-22.200N 086-42-01.165W	D08
ADD	SANTA ROSA SOUND LIGHTED BUOY 56, FL R 2.5S, 4NM, RED				30-24-22.200N 086-42-01.160W	D08
11389	32ND ED.,10/13/2001 LAST LNM 4104 NAD 83 FL - ST. JOSEPH AND ST. ANDREW BAYS					42/04
ADD	TABULATION - PORT ST. JOE AND PANAMA CITY HARBOR CHANNEL DEPTHS (NW-8279)					
			AT	30-15-41.000N	085-29-04.000W	NOS
11390	23RD ED.,02/2004 LAST LNM 41/04 NAD 83 FL - INTRACOASTAL WATERWAY - EAST BAY TO WEST BAY					42/04
ADD	TABULATION - PANAMA CITY HARBOR (NW-8279)					
			AT	30-10-26.000N	085-32-49.000W	NOS
11391	23RD ED.,10/2003 LAST LNM 41/04 NAD 83 FL - ST. ANDREW BAY					42/04
ADD	TABULATION - PANAMA CITY HARBOR (NW-8279)					
			AT	30-10-28.000N	085-46-37.000W	NOS

SUPPLEMENTAL CHART INFORMATION TEMPORARY DRILL RIGS REMOVED/ESTABLISHED						
DRILL RIGS/VESSELS REMOVED						
LAT.	LON.	BLOCK	RIGS/VESSELS	CHART	TYPE	STATUS
28-52-45.257N	089-41-09.506W	WD-102	ARCH ROWAN	11340	JACKUP	UNREPORTED
26-09-29.622N	094-47-11.739W	AC-815	DISCOVERER DEEP SEAS	11300	DRILLSHIP	UNREPORTED
28-20-59.853N	095-21-43.878W	BR-504	ENSCO 87	11300	JACKUP	UNREPORTED
28-58-57.924N	091-13-08.276W	SS-58	ENSCO 93	11340	JACKUP	APPROVED AID ON STATION
29-01-35.938N	090-10-10.783W	ST-23	HERCULES 22	11340	JACKUP	UNREPORTED
28-37-08.928N	091-59-41.360W	SS-182	HIGH ISLAND 2	11340	JACKUP	UNREPORTED
28-05-08.251N	090-25-22.574W	EB-913	OCEAN LEXINGTON	11340	SEMI-SUBMERSIBLE	PLUGGED AND ABANDONED
29-11-44.181N	094-02-14.913W	HI-170	OCEAN SPARTAN	11340	JACKUP	UNREPORTED
28-04-39.763N	096-11-59.974W	MA-639	ROWAN LOUISIANA	11300	JACKUP	UNREPORTED
DRILL RIGS/VESSELS ESTABLISHED						
LAT.	LON.	BLOCK	RIGS/VESSELS	CHART	TYPE	STATUS
NONE						

SECTION V ADVANCED NOTICE OF CHANGES TO AIDS TO NAVIGATION	
LA Isles Dernieres to Point Au Fer - Buckskin Bayou	<p><i>The following changes to aids to navigation will be made during the week of November 18, 2004:</i></p> <p>Discontinue Buckskin Bayou Buoy WR1 (LLNR-17704).</p> <p><i>Charts: 11356</i></p> <p><i>Ref: ANDP 08-04-63D</i></p>
TX GALVESTON BAY ENTRANCE Galveston Bay Channel	<p><i>The following changes to aids to navigation will be made in the Galveston Bay Entrance Channel between September 15, 2004 and October 15, 2004:</i></p> <p>Galveston Bay Entrance Channel Range A Front Lt (LLNR-22605) will be relocated to position 29-21-10.950N 094-42-44.305W and will display Fl W 2.5s, 43 ft., 4M (Night), Fl W 2.5s, 41 ft. (Day) and Fl W 2.5s, 38 ft. (Night).</p> <p>Galveston Bay Entrance Channel Range A Rear Lt (LLNR-22610) will be relocated to position 29-22-19.162N 094-44-54.038W and will display F W, 123 ft. (Day) and F W, 126 ft. (Night).</p> <p><i>Charts: 11323, 11324</i></p> <p><i>Ref: ANDP 08-00-01D</i></p>



SECTION V ADVANCED NOTICE OF CHANGES TO AIDS TO NAVIGATION (Cont.)	
TX HOUSTON SHIP CHANNEL Houston Ship Channel	<p><i>The following changes in aids to navigation will be made in the Houston Ship Channel between October 19, 2004 and January 18, 2005 as the dredging of the barge lanes is completed:</i></p> <p>Houston Ship Channel Lt 51 (LLNR-23020) will be relocated to approximate position 29-29-33.384N 094-51-59.593W.  Houston Ship Channel Lt 52 (LLNR-23025) will be relocated to approximate position 29-29-38.260N 094-51-49.733W.  Houston Ship Channel Lt 57 (LLNR-23090) will be relocated to approximate position 29-31-19.414N 094-53-21.043W.  Houston Ship Channel Lt 58 (LLNR-23095) will be relocated to approximate position 29-31-24.857N 094-53-11.580W.  Houston Ship Channel Lt 59 (LLNR-23120) will be relocated to approximate position 29-31-52.315N 094-53-46.311W.  Houston Ship Channel Lt 60 (LLNR-23125) will be relocated to approximate position 29-31-57.792N 094-53-36.887W.  Houston Ship Channel Lt 61 (LLNR-23130) will be relocated to approximate position 29-32-23.215N 094-54-10.052W.  Houston Ship Channel Lt 62 (LLNR-23135) will be relocated to approximate position 29-32-28.695N 094-54-00.631W.  Houston Ship Channel Lt 63 (LLNR-23145) will be relocated to approximate position 29-32-58.054N 094-54-36.864W.  Houston Ship Channel Lt 64 (LLNR-23150) will be relocated to approximate position 29-33-03.446N 094-54-27.355W.  Houston Ship Channel Lt 65 (LLNR-23155) will be relocated to approximate position 29-33-30.886N 094-55-02.106W.  Houston Ship Channel Lt 66 (LLNR-23160) will be relocated to approximate position 29-33-36.285N 094-54-52.588W.  Houston Ship Channel Lt 67 (LLNR-23165) will be relocated to approximate position 29-34-03.741N 094-55-27.396W.  Houston Ship Channel Lt 68 (LLNR-23170) will be relocated to approximate position 29-34-09.135N 094-55-17.866W.  Houston Ship Channel Lt 69 (LLNR-23175) will be relocated to approximate position 29-34-36.474N 094-55-52.559W.  Houston Ship Channel Lt 70 (LLNR-23180) will be relocated to approximate position 29-34-41.849N 094-55-43.033W.  Houston Ship Channel Lt 71 (LLNR-23185) will be relocated to approximate position 29-35-09.343N 094-56-17.860W.  Houston Ship Channel Lt 72 (LLNR-23190) will be relocated to approximate position 29-35-14.761N 094-56-08.364W.  Houston Ship Channel Lt 73 (LLNR-23195) will be relocated to approximate position 29-35-42.341N 094-56-43.260W.  Houston Ship Channel Lt 74 (LLNR-23200) will be relocated to approximate position 29-35-47.737N 094-56-33.735W.  Houston Ship Channel Lt 75 (LLNR-23205) will be relocated to approximate position 29-36-26.6N 094-57-17.2W.  Houston Ship Channel Lt 76 (LLNR-23210) will be relocated to approximate position 29-36-30.7N 094-57-06.9W.  Houston Ship Channel Buoy 76A (LLNR-23300) will be relocated to approximate position 29-36-51.045N 094-57-14.581W.  Bayport Ship Channel Junction Lt B (LLNR-23245) will be relocated to approximate position 29-37-09.6N 094-57-33.4W.  Houston Ship Channel Lt 78 (LLNR-23305) will be relocated to approximate position 29-37-12.5N 094-57-22.7W.  Houston Ship Channel Lt 81 (LLNR-23310) will be relocated to approximate position 29-37-54.4N 094-57-50.4W.  Houston Ship Channel Lt 82 (LLNR-23315) will be relocated to approximate position 29-37-57.3N 094-57-39.6W.  Houston Ship Channel Lt 83 (LLNR-23320) will be relocated to approximate position 29-38-30.0N 094-58-03.9W.  Houston Ship Channel Lt 84 (LLNR-23325) will be relocated to approximate position 29-38-33.0N 094-57-53.1W.  Houston Ship Channel Lt 85 (LLNR-23330) will be relocated to approximate position 29-39-10.5N 094-58-19.2W.  Houston Ship Channel Lt 86 (LLNR-23335) will be relocated to approximate position 29-39-13.4N 094-58-08.4W.  Houston Ship Channel Lt 87 (LLNR-23340) will be relocated to approximate position 29-39-45.2N 094-58-32.3W.  Houston Ship Channel Lt 88 (LLNR-23343) will be relocated to approximate position 29-39-48.3N 094-58-21.5W.  Houston Ship Channel Lt 89 (LLNR-23345) will be relocated to approximate position 29-40-22.8N 094-58-46.5W.  Houston Ship Channel Lt 90 (LLNR-23350) will be relocated to approximate position 29-40-25.8N 094-58-35.7W.  Houston Ship Channel Lt 89A (LLNR-23347) will be relocated to approximate position 29-40-36.754N 094-58-51.811W0.  Houston Ship Channel Lt 90A (LLNR-23352) will be relocated to approximate position 29-40-39.804N 094-58-40.989W.</p> <p><b>Charts: 11326, 11327, 11328</b></p>
Ref: ANDP 08-03-10	

SECTION VI PROPOSED CHANGES TO AIDS TO NAVIGATION	
<p>Periodically, the U.S. Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids is considered. Comments or recommendations for changes to aids to navigation should be addressed to: Commander, Eighth Coast Guard District (oan), ATTN: Projects Branch, 501 Magazine St., Room 1230, New Orleans, LA 70130-3396 or by e-mail: <a href="mailto:my2cents@d8.uscg.mil">my2cents@d8.uscg.mil</a>. <b>All comments submitted should include the following information:</b></p> <p>(A) Quantity, type, capacity, and value of vessels involved and the extent vessels transit the area under consideration seasonally, by day and night.  (B) Where predictable, the type of navigational devices, such as compasses, radio direction finder, radar, loran, and search lights, with which each vessel is equipped.  (C) The number of passengers and type, quantity, and value of cargo involved.  (D) Chart section or sketch showing the action proposed when necessary describing the recommended improvement.</p>	
LA Atchafalaya Channel	<p><b>Comments must be received by November 28, 2004:</b></p> <p>Establish Atchafalaya Channel Light 59 (LLNR-18193) FI G 2.5s, 4M, with SG dayboards in approximate position 29-28-36.50N 091-16-34.03W in 15 feet of water.</p> <p><b>Charts: 11351, 11352, 11354</b></p>
Ref: ANDP 08-05-01D	
LA/TX Sabine – Neches River Sabine River	<p><b>Comments must be received by November 23, 2004:</b></p> <p>Sabine River Range Front Light (LLNR-22080/33845) change optics and increase intensity.  Sabine River Range Rear Light (LLNR-22085/33850) change optics and increase intensity.</p> <p><b>Charts: 11331, 11343</b></p>
Ref: ANDP08-04-65D	

SECTION VII GENERAL INFORMATION	
FL GULF OF MEXICO Wreck (ADRIFF)	<p>A 55-foot F/V has been reported capsized and adrift in the Gulf of Mexico in approximate position 30-12-05.0N 085-52-42.0W, approximately 9 nautical miles southwest of Panama City, on October 18, 2004. The wreck is reportedly not marked. Mariners are urged to use extreme caution in the area and report any sightings to their nearest U.S. Coast Guard unit.</p> <p><b>Charts: 11390</b></p>
Ref: CGD8 214-04	
FL GULF OF MEXICO Wreck UPDATE	<p>The 49-foot F/V MS CHRISSY reportedly sunk south of West Pass in the Gulf of Mexico in approximate position 29-32-35.0N 085-06-20.0W. The wreck is reportedly marked with three lights, amber, white and red. Mariners are urged to use extreme caution in the area.</p> <p><b>Charts: 1114A, 11400, 11401</b></p>
Ref: CGD8 195-04	
FL GIWW – SANTA ROSA ISLAND Dredging	<p>Continuing until approximately October 29, 2004, the Pipeline Dredge KELLY L will be dredging at a critical shoaling area located between approximate Miles 170.0 and 172.0, west of the Gulf Beach Bridge. The Dredge KELLY L will monitor VHF -FM Channels 13 and 16. Mariners are urged to transit the area with extreme caution.</p> <p><b>Charts: 11385</b></p>
Ref: CGD8 BNM 0505-04 D8	

SECTION VII		GENERAL INFORMATION (Cont.)	
AL MOBILE BAR Shoaling	Shoaling has been reported between Mobile Bar Lighted Buoy 4 (LLNR-4985) and Mobile Bar Lighted Buoy 6 (LLNR-4995). The shoaling is reportedly not marked. Mariners are urged to use extreme caution in the area. <b>Charts: 11376, 11377, 11378</b> <b>Ref: CGD8 217-04</b>		
AL BAYOU LA BATRE CHANNEL Dredge	Continuing until approximately January 13, 2005, the Pipeline Dredge E. STROUD will be operating in the Bayou La Batre Channel. Dredged material will be placed in open water sites adjacent to the channel. The dredge will have floating and submerged pipelines in addition to numerous support vessels that will be lighted accordingly. The dredge will monitor VHF -FM Channels 13 or 16. Mariners are urged to transit the area with extreme caution. <b>Charts: 11373, 11374</b> <b>Ref: CGD8 BNM 0500-04 D8</b>		
MS BILOXI EAST CHANNEL Wreck	A 50-foot F/V has reportedly sunk west of Biloxi East Channel approximately 600 yards west of Biloxi East Channel Wreck Light WR7A (LLNR-7547), in approximate position 30-19-42.0N 088-47-30.0W. There is approximately 10 feet of rigging and 3 feet of superstructure above the waterline. The wreck is reportedly not marked. Mariners are urged to use extreme caution in the area. <b>Charts: 11372, 11373, 11374</b> <b>Ref: CGD8 219-04</b>		
LA GULF OF MEXICO Seismic Survey	Continuing until further notice, the M/V VERITAS VANTAGE will be conducting seismic surveys, towing approximately 8500 meter long cables in area bounded by the following approximate positions: 26-50-00N 090-45-00W, 27-42-00N 090-45-00W, 28-03-00N 089-45-00W and 27-20-00N 089-25-00W. The M/V VERITAS VANTAGE requests a 6-mile berth. Mariners are urged to use extreme caution in this area. <b>Charts: 11370</b> <b>Ref: CGD8 BNM 0499-04 D8</b>		
LA GULF OF MEXICO Wreck (ADRIFT)	A 20-foot P/C has been reported capsized and adrift in the Gulf of Mexico in approximate position 28-50-36.0N 092-21-54.0W, on October 13, 2004. The wreck is reportedly not marked. Mariners are urged to use extreme caution in the area and report any sightings to their nearest U.S. Coast Guard unit. <b>Charts: 1116A, 11340</b> <b>Ref: CGD8 213-04</b>		
LA GULF OF MEXICO Wreck (ADRIFT)	A 17-foot P/C has been reported capsized and adrift in the Gulf of Mexico in approx imate position 28-58-12.0N 089-09-12.0W, on October 15, 2004. The wreck is reportedly not marked. Mariners are urged to use extreme caution in the area and report any sightings to their nearest U.S. Coast Guard unit. <b>Charts: 11361, 11366</b> <b>Ref: CGD8 215-04</b>		
LA GULF OF MEXICO Wreck (ADRIFT)	A 17-foot P/C has been reported capsized and adrift in the Gulf of Mexico in the vicinity of West Delta Block 34 in approximate position 29-14-21.0N 089-44-49.0W, on October 18, 2004, drifting north-northwest. The wreck is marked with two large black x's on the hull. Mariners are urged to use extreme caution in the area and report any sightings to their nearest U.S. Coast Guard unit. <b>Charts: 11361, 11366</b> <b>Ref: CGD8 216-04</b>		
LA MISSISSIPPI RIVER Dredging	Continuing until approximately October 24, 2004, the Dredge GEORGE D. WILLIAMS will be performing dredging operations approximately 600 feet from the LDB near Harahan, Louisiana. Dredging will be performed 24-hours a day, 7-days a week and will monitor VHF -FM Channels 16 and 67. A floating pontoon line will be used to transport the dredge material to the LDB. The dredge will be lighted accordingly, and the pontoon line will have yellow flashing lights mounted on the line. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with extreme caution after passing arrangements have been made. <b>Charts: 11370</b> <b>Ref: CGD8 BNM 0504-04 D8</b>		
LA PORT ALLEN - ALTERNATE ROUTE Submerged Obstruction	A large log has been reported blocking the channel in the Port Allen-Alternate Route in the vicinity of Mile 61. The obstruction is reportedly not marked. Mariners are urged to use extreme caution in the area. <b>Charts: 11354</b> <b>Ref: CGD8 221-04</b>		
LA GRAND BAYOU DU LARGE Exposed Pipeline	Approximately 80-feet of exposed pipeline has been reported in a wash out in Grand Bayou du Large in approximate position 29-10-51.0N 090-58-05.0W. The obstruction is reportedly in 6.5 feet of water and covered by approximately 4.5 feet of water. The exposed pipeline is reportedly not marked. Mariners are urged to use extreme caution in the area. <b>Charts: 11356</b> <b>Ref: CGD8 222-04</b>		
TX GALVESTON FERRY LANDING Visible Obstruction	A 20-foot telephone pole has been reported between the active ferry slips. The pole is reportedly 1.5 feet above the waterline and is not marked. Mariners are urged to use extreme caution in the area. <b>Charts: 11326</b> <b>Ref: CGD8 218-04</b>		
TX GULF INTRACOASTAL WATERWAY, MILE 354.0, WHL Wreck (ADRIFT)	A 17-foot P/C has been reported adrift in the Gulf Intracoastal Waterway, near Mile 354.0, WHL, in approximate position 29-19-48.0N 094-50-36.0W, on October 18, 2004. The wreck is reportedly not marked. Mariners are urged to use extreme caution in the area and report any sightings to their nearest U.S. Coast Guard unit. <b>Charts: 11324, 11326</b> <b>Ref: CGD8 220-04</b>		
TX MATAGORDA BAY AND APPROACHES Rig Operations	Continuing until approximately November 16, 2004, the Rig ROWAN LOUISIANA will be working adjacent to a safety fairway, Matagorda Island Area, Block 639, in approximate position 28-04-39.731N 096-12-00.050W. Mariners are urged to use extreme caution in this area. <b>Charts: 11316, 11319</b> <b>Ref: CGD8 BNM 0501-04 D8</b>		

SECTION VII		REGATTAS/FIREWORKS			
Waterway	Date	Time	Event	Sponsored By	Unit or Patrolled
NONE					

SECTION VIII CORRECTIONS TO LIGHT LIST, VOLUME IV, GULF OF MEXICO, 2004								
(1) No.	(2) Name and Location	N/W (3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	LNM
440 12560	South Pass West Jetty Range Front Light	28 59 26 N 89 08 25 W	F G	40		KRW on skeleton tower on piles.	Visible all around. Higher intensity on rangeline. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Continuously from Nov. 1 to Apr. 30.	(42/04)
1271	Pioneer-100-4 Lighted Buoy	*					Remove from list. *	(42/04)
5260	- LOWER REACH RANGE FRONT LIGHT	30 26 24 N 88 00 44 W	Q W Q W	28 26	5	KGR on skeleton tower on piles.	Visible all around; higher intensity 2° each side of rangeline.	(42/04)
5300 6205 *	Theodore Ship Channel Buoy 1A		*	*	*	Green can.		(42/04)
6205 5300 *	Theodore Ship Channel Buoy 1A					Green can.		(42/04)
6800	Petit Bois Pass Lighted						Remove from list. *	(42/04)
6930	- RANGE D FRONT LIGHT	30 12 58 N 88 30 15 W *	Q W	27		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.	(42/04)
6935	- RANGE D REAR LIGHT 506 yards, 175° from front light. *		Iso W 6s	60		KRW on skeleton tower. *	Visible 2° each side of rangerline.	(42/04)
8380	- SURVEY LIGHT						Remove from list. *	(42/04)
8485	MIDDLE REACH INBOUND RANGE FRONT LIGHT	30 15 59 N 89 00 26 W *	Q W	25		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.	(42/04)
12560 440	South Pass West Jetty Range Front Light	28 59 26 N 89 08 25 W	F G	40		KRW on skeleton tower on piles.	Visible all around. Higher intensity on rangeline. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Continuously from Nov. 1 to Apr. 30.	(42/04)
12570	- LIGHT 5	28 59 40 N 89 08 30 W *	FIG 2.5s	17	4	SG on piles.		(42/04)
12920	PILOTTOWN RANGE A FRONT LIGHT	29 10 07 N 89 15 17 W *	Q W	20		KRW on skeleton tower. *		(42/04)
12925	PILOTTOWN RANGE A REAR LIGHT 308 yards, 003° from front light. *		Iso W 6s	41		KRW on skeleton tower. *		(42/04)

SECTION VIII CORRECTIONS TO LIGHT LIST, VOLUME IV, GULF OF MEXICO, 2004								
(1) No.	(2) Name and Location	(3) N/W Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	LNM
15937	- LIGHT 1						Remove from list. *	(42/04)
21901 34017 *	- LIGHT 62A	29 56 09 N 93 52 04 W	FIR 4s	17	4	TR-SY on pile.		(42/04)
28455 40850 *	- Daybeacon 45	25 57 54 N 97 21 42 W				SG-SY on pile.	Ra ref.	(42/04)
31025	<i>Lighted Buoy 56</i> *	30 24 22 N 86 42 01 W	FIR 2.5s		4 *	Red with yellow triangle. *	*	(42/04)
32965	Buoy 11						Remove from list. *	(42/04)
34017 21901 *	- LIGHT 62A	29 56 09 N 93 52 04 W	FIR 4s	17	4	TR-SY on pile.		(42/04)
34865	- RANGE E FRONT LIGHT	29 16 57 N 94 53 42 W *	Q G	15		KRW-I on pile structure; on same structure as Range D Front Light.	For eastbound traffic. Visible all around; higher intensity on rangeline.	(42/04)

SECTION IX ENCLOSURES	
1.	Tabulations
2.	El-Paso RACON Surveys
3.	WAMS Questionnaire

CHART 11389

PORT ST. JOE AND PANAMA CITY HARBOR CHANNEL DEPTHS TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF JUL 2004							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)				PROJECT DIMENSIONS			
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH (MLLW FEET)
PORT ST. JOE HARBOR							
ENTRANCE CHANNEL	26.3	29.3	29.3(A)	6-04	300-500	8.0	35-37
NORTH CHANNEL	26.6	26.8	26.8	6-04	300	4.1	35
TURNING BASIN	26.2	26.6	26.2	6-04	650	0.3	32
HARBOR CHANNEL	25.8	25.4	26.2	6-04	250	0.3	35
PANAMA CITY HARBOR							
ENTRANCE CHANNEL	36.0	35.4	36.0	7-04	450-300	2.1	38-36
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION A Shoaling to 1 foot between 29°52'58"N/85°23'06"W (Buoy#14) and 29°52'30"N/85°23'03"W (Buoy#16).							

CHART 11390

PANAMA CITY HARBOR CHANNEL DEPTHS TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF JUL 2004							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)				PROJECT DIMENSIONS			
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH (MLLW FEET)
PANAMA CITY HARBOR							
ENTRANCE CHANNEL	36.0	35.4	36.0	7-04	450-300	2.1	38-36
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION							

## CHART 11391

PANAMA CITY HARBOR CHANNEL DEPTHS							
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF JUL 2004							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
PANAMA CITY HARBOR ENTRANCE CHANNEL	36.0	35.4	36.0	7-04	450-300	2.1	38-36
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION							